Bulgarian		English
3		g
	a system of steel bars, strands, wires, or	reinforcement
армировка,	mesh for absorbing the tensile and	
укрепване	shearing stresses in concrete work	
армировъчна	or saming our coose in contract work	reinforcing steel
стомана		J
агент		
недвижими	a person who is authorized to act as an	
имоти	agent for the sale of land	estate agent
английска		English bond
превръзка		
	a curred maconary construction for	
	a curved masonry construction for	
	spanning an opening, consisting of a	
	number of wedgelike stones, bricks, or the	
	like, set with the narrower side toward the	
	opening in such a way that forces on the	
	arch are transmitted as vertical or oblique	awala
арка, свод	stresses on either side of the opening	arch
	the profession of designing buildings, open	
	areas, communities, and other artificial	
	constructions and environments, usually	
архитектура;	with some regard to aesthetic effect	architecture
•	the mixture of cement, sand, gravel, and	
бетон	water	concrete n.
бетонджия		concretor
бетонирам	to treat or lay with concrete	concrete v.
60-00061 00000	which cement is mixed with other materials	
бетонобъркачк		concrete miver
бильото	to make concrete	concrete mixer
бичмета блокова	the overlap of blocks in a construction so	heavy joist block bond
превръзка	as to increase its strength	DIOCK DOTIG
проврыка	a substance composed of solid coloring	paint n.
	matter suspended in a liquid medium and	paint ii.
	·	
_	applied as a protective or decorative	
боя	coating to various surfaces	
боядисвам	to coat or cover anything with paint	paint v.
G G	concrete made with rubble from	rubble concrete
бутобетон	demolished structures	line o
	a white or grayish-white, odorless, lumpy,	lime
	very slightly water-soluble solid, CaO, used	
	chiefly in mortars, plasters, and cements,	
	in bleaching powder, and in the	
	manufacture of steel, paper, glass, and	
вар	various chemicals of calcium	

		lime cast
варна мазилка		
		lime solution
варов разтвор		
водоснабдяван	the supply of purified water available to a	
е	community	water supply
водосточна	a channel at the eaves or on the roof of a	
тръба (канал)	building, for carrying off rain water	gutter
възстановявам,	,	
обновявам	as if new again; repair	renovate
вътрешна	a layer of material on the inner side or	lining
облицовка	surface of something	
		aero
газобетон	lime alacked by expenses to the air in	concrete/aerocrete
	lime slacked by exposure to the air, in	slacked lime
	consequence of the absorption of carton	
	dioxide and water, by which it is converted	
гасена вар	into carbonate of lime and hydrate of lime	!!
	a slim, pointed piece of metal hammered	nail n.
гвоздей	into material as a fastener	
	the equator of a point on the earth's	
географска	surface, measured on the meridian of the	
ширина	point	latitude
	an engineer who determines the	
	boundaries and elevations of land or	
геодезист	structures a land area survey in which the curvature	surveyor
геодезична	of the surface of the earth is taken into	
снимка	account	geodetic survey
Onnina	the branch of applied mathematics that	goodolio odi voy
	deals with the measurement of the shape	
	and area of large tracts of country, the	
	exact position of geographical points, and	
	the curvature, shape, and dimensions of	
геодезия	the earth	geodesy
	common white or colorless mineral	gypsum
	(hydrated calcium sulphate) used to make	
FIATIO	cements and plasters (especially plaster of	
гипс	powdered gypsum	plaster
гипсова	a layer or coating of plaster	plastering
мазилка	la layer or coating or plaster	plastering
doris ind	an exterior finish for masonry or frame	stucco
	walls, usually composed of cement, sand,	
гипсова	and hydrated lime mixed with water and	
мазилка		a.via
главна греда	beam of a balance	axis

гродо	A structural member transversely	
греда,	A structural member transversely	hoom
траверса	supporting a load	beam
груба мазилка	As in the contract for the contract of the contract of	rough coat
датчик	An instrument for measuring or testing	gauge
двойна стена	double wall	double leaf
двупластова	cover with two coats of plaster	render set
мазилка		
длето		tooler
	a piece of wood sawed thin, and of	board
дъска	considerable length and breadth	
двока	a long, flat piece of timber, thicker than a	plank
дъска	board	piariik
дъсчена	Planks considered as a group	planking
облицовка,	l lanks considered as a group	piarikiriy
•		
ламперия	a aguared building stone out more or loss	ashlar
	a squared building stone cut more or less	asiliai
	true on all faces adjacent to those of other	
дялан камък	stones so as to permit very thin mortar	
забивам	To fasten, join, or attach with or as if with a	nail v.
гвоздей	nail	
	A type of dough used in sealing glass in	putty
	the sash, filling small holes and crevices in	. ,
	_	
замазка	wood, and for similar purposes	4
засводен	constructed or covered with a vault, as a	vaulted
земеустройств	hilliding of onemner	
lo ´ '		land regulation
зидар	A person skilled in building with bricks.	bricklayer
5.1740-19	a person whose trade is building with units	mason
	of various natural or artificial mineral	
	products, as stones, bricks, cinder blocks,	
	or tiles, usually with the use of mortar or	
зидар	cement as a bonding agent	
зидар,	a person who builds with or dresses stone	stonemason
каменоделец	a person who ballas with or aresses stone	otoricinacon
каменоденец		
	Stone, brick, concrete, hollow-tile,	
	concrete block, or other similar building	
	units or materials. Normally bonded	
зидария	together with mortar to form a wall.	masonry
	masonry made of ashlars	ashlarwork
зидария от		
дялани камъни		
		rubble masonry
зидария от		
ломени камъни		

зидария от		massive masonry
плътни тухли		massive masoniy
	a masonry of bricks cut transversely so as	bat brick
зидария от		Sat Silon
половин тухла	to leave one end whole	
зидария с		one stretcher wide
дебелина една		
тухла		
		masonry can
зидарско канче зидарция,		dd
облицована с	masonry with stone that has been worked	dressed masonry
дялан камък	to desired shape; the faces to be exposed	
измерване	are emosts	measuring
измерител;	a person or thing that gauges	gauger
измервателен		
уред		
, , ,	an afficial naciator of the accordance in actors	
	an official register of the ownership, extent,	
	and value of real property in a given area,	
кадастър	used as a basis of taxation	cadastre
каменарско		juniper
ШИЛО	on adulticate of for dragging atoms	haal hamman
каменоделски	an adzlike tool for dressing stone	hack-hammer
чук	any abandal trayah ar tha lika far aarmina	
KOLIOE: VEOR	any channel, trough, or the like for carrying off fluid	auttor.
канал; улей		gutter
	a string or thin rope made of several	cord
KOLIOTI	strands braided, twisted, or woven	
канап	together a slender cord or thick thread used for	otrina
канап	hinding or tying: line	string
	an excavation or pit, usually open to the	
	air, from which building stone, slate, or the	
кариера	like, is obtained by cutting, blasting, etc.	quarry
	a drawing or plan, in outline, of (any part	
	of) the surface of the earth, with various	
карта/географс	features shown (usually roads, rivers,	
ка/	seas, towns etc)	map
	a structural member transversely	
картография	supporting a load	cartography
	any of various dark, tenacious, and	pitch
	viscous substances for caulking and	
	paving, consisting of the residue of the	
катран, смола	distillation of coal tar or wood tar	
	a gripping tool consisting of two pivoted	pinchers
	limbs forming a pair of jaws and a pair of	-
клещи	handles	

тно/	that runs transversely to main roads	cross-road
кръстовище/пъ	a road that crosses another road, or one	
превръзка		
кръстата	2 commission something into, without drights	cross bond
крива	a continuously bending line, without angles	
кофраж	rammed earth concudent	shuttering
кофраж	the structure of boards, bolts, etc., composing a form for poured-concrete or rammed-earth construction	formwork/sheathing
кофраж	the structure of he and the transfer	encasing
кофа	plastic, or wood, with a flat bottom and a semicircular bail, for collecting, carrying, or holding water, sand, fruit, etc.; pail	
височина/	level	elevation /level mark/ bucket
геодезист	The height of a thing above a reference	cosmic surveyor
корниз	any prominent, continuous, horizontally projecting feature surmounting a wall or other construction	cornice, perch, mouldir
строителен разтвор)	bricks, etc., fixed crosswise on top of a pole and carried on the shoulder	
корито (за	a portable trough for carrying mortar,	hod
конструкция	something built or constructed, as a building, bridge, or dam	structure
роя	frame; devise	construct, build
	rafters or arched roof braces to build or form by putting together parts;	
	a short wooden beam projecting from an interior wall to support or tie together	hammer-beam
колона/в строителството /	a rigid, relatively slender, upright support	column
забъркване	required for one operation	
количество бетон от едно	the quantity of concrete prepared or	batch
клещи количество	fastened together, for seizing, holding, or lifting something	
	two arms hinged, pivoted, or otherwise	
	any of various implements consisting of	tongs
клещи	small pincers with long jaws, for bending wire, holding small objects, etc.	pliers (a pair of)

	A paint containing a solvent and an	varnish
	oxidizing or evaporating binder, used to	Varriisti
	coat a surface with a hard, glossy,	
лак	transparent film	
ламарина	plate iron thinner than tank iron	sheet iron
	a conspicuously painted pole held upright	
лата	to show the position of a survey mark	range pole/lath,bar/
лебедка		jinny
	A stationary motor-driven or hand-powered	winch
	machine used for hoisting or hauling,	
	having a drum around which is wound a	
	rope or chain attached to the load being	
лебедка, крич	moved	
	a substance that causes something to	adhesive
лепило	adhere, as glue or rubber cement	
ЛСПИЛО	A thin strip of wood or metal, usually nailed	lath
	in rows to framing supports as a	idai
	substructure for plaster, shingles, slates,	
летва, дъска	or tiles	
летва, двска	a device used for determining or adjusting	balance level
	a device deed for determining of dejacting	balance level
либела	something to a horizontal surface	
лиосла	A tool with a handle and a broad scoop or	shovel
	Tribor maria mariare and a bread eccept or	0110 7 01
лопата	blade for digging and moving material	
	A cement mixture used to waterproof outer	parget
мазилка	walls	
	a composition, as of lime or gypsum, sand,	plaster
	water, and sometimes hair or other fiber,	
	applied in a pasty form to walls, ceilings,	
мазилка;	etc., and allowed to harden and dry;	
мазилка;	a layer of anything that covers a surface	coat
облицовка;		
слой, покритие		
	a paving tool for spreading and smoothing	lute
	concrete, consisting of a straightedge	
мастар;	mounted transversely on a long handle	
мерене,	A method of determining quantity,	
измерване	capacity, or dimension	measurement
метален ъгъл,	a piece of structural iron or steel having a	angle iron/L beam
винкел	cross section in the form of an L	

	an implement for sweeping, consisting of a	broom
	brush of straw or stiff strands of synthetic	
	material bound tightly to the end of a long	
метла	handle	
	A yardstick is a tool used to physically	yard meter
	measure lengths of up to a yard (0.9144	
метър	metres or three feet).	
	A yardstick is a tool used to physically	yard stick
	measure lengths of up to a yard (0.9144	
метър	metres or three feet).	
мистрия		depositor
- 1-	a flat tool for spreading and smoothing	float
мистрия	plaster or stucco	
Мистрии	a shaping tool used by potters and	pallet
	consisting of a flat blade or plate with a	panot
мистрия	handle at one end any of various tools having a flat blade with	trowol
	l -	liowei
	a handle, used for depositing and working	
мистрия	mortar, plaster, etc.	
монтажен		mounting hole
отвор	Annual various devices would be in in a min	
	Any of various devices used to join, grip,	assembly clamp
монтажна стяга	support, or compress mechanical or	
	the process of putting with precise	c
монтиране	placement or adjustment	fitting
	a structure spanning and providing	
	passage over a river, chasm, road, or the	
MOCT	like	bridge
110 E E 3 NO 10	a brickwork bond having successive	stretcher bond
надлъжна	courses of overlapping stretchers	
превръзка	One of a series of structural members of a	rafter
	roof designed to support roof loads. The	Tartor
HOKEOHOHO	rafters of a flat roof are sometimes called	
наклонена		
покривна греда	water conveyance artificial channels,	
напоителен/ор	which are used for the conveyance and	
осителен канал	_	irrigation canal
	a girder supporting the ends of two sets of	binder, cross-arm
напречна греда	1 -	,
папро на грода	noo. joidio	cross beam
напречна греда		3.000 DOM:
роа грода		1

	- bank-antal thaban antha 1915 for	4:- 1
	a horizontal timber or the like for	tie beam
	connecting two structural members to	
	keep them from spreading apart, as a	
напречна греда	beam connecting the feet of two principal	
папречна греда	A structural load-carrying member with an	joist
		juist
	open web system which supports floors	
	and roofs utilizing hot-rolled or cold-formed	
напречна греда	steel and is designed as a simple span	
напречна	a crosspiece separating a door or the like	transom
греда, щурц	from a window or fanlight above it	
напречна		transverse bond
превръзка		
	Material, such as lumber or tile, used in	flooring
настилка	making floors	
	walk consisting of a paved area for	
настилка;трото	pedestrians; usually beside a street or	
ар	roadway	pavement
,	Calcium oxide; unslacked lime; so called	quick(burnt) lime
	,	, ,
негасена вар	because when wet it develops great heat	
петаосна вар	because when wer it develope great near	
	property, esp. in land	real estate
педвижим имот	property, esp. in land	real estate
нивелир,	a device used for determining or adjusting	
либела;	something to a horizontal surface	level
ниво	height above ground	level
носеща греда	-	carrier beam
	A waii that supports any vertical load in	
носеща стена	addition to its own weight	bearing wall
носеща,	a timber or the like connecting two ribs of a	bolster
подсилваща	centering	facing
	a covering in front, for ornament,	facing
облицовка	protection, etc., as an outer layer of stone	
	an ornamental facing, as on a common	revetment
	masonry wall, of marble, face brick, tiles,	
облицовка	etc.	
облицовка с	the operation of covering with tiles	tiling
плочки	and operation of covering that allow	······································
1.510 11.61	a ceiling system supported by hanging it	
окачен таван	from the overhead structural framing	suspended ceiling
основа на	A coat of plaster or cement applied to a	rendering
мазилка	masonry surface	1 Stracting
W.GOFIJ ING	A weight on the end of a line, used	
	especially by masons and carpenters to	
OTRAC	establish a true vertical	plumb
OTBEC	ESIGNIISH A HUE VEHICAL	-
отвес		plumb-line
отвес		vertical level

отводнителен	something, as a pipe or conduit, by which	
канал, тръба;	a liquid drains	drain n.
отводнявам,	a ngara arame	GI GII I I I
пресушавам;	to withdraw liquid gradually from; make	
дренирам	empty or dry by drawing off liquid	drain v.
отвор	an opening, as a hole, slit, crack, gap, etc.	aperture
ОТВОР	an opening through something; gap;	hole
OTROD	aperture	Hole
отвор	an open space serving as a passage or	opening
OTROD	1	opering
отвор	gap a measured area of land; a lot	plot
парцел		brick-bat
парче тухла	a piece, especially of brick	
пенобетон	forms and another in a company to a sold of manufactural	cellular concrete
	foam concrete is cement bonded material	foam concrete
	manufactured by blending a very fluid	
_	cement paste (slurry) and then injecting	
пенобетон	stable, pre-formed foam into the slurry.	_
	a tool for smoothing the surface of plaster	mason's float
пердашка	or cement	
	an act of formulating a program for a	
планиране	definite course of action	planning
	a piece of fine-grained metamorphic rock	
плоча	cut for use as roofing or surfacing material	slate
1310 14	the work of keeping something in proper	olato
поддръжка	condition; upkeep	maintenance
поддръжка	the external upper covering of a house or	maintenance
HOKOMB	other building	roof
покрив	To restore to sound condition after	1001
		ronoir
поправям	damage or injury; fix, mend an interior wall or barrier dividing a room,	repair
преградна	area of a building, enclosure, etc., into	
стена	separate areas	partition
предварително		prestressed
напрегнат		prediredded
бетон		concrete
преносима		portable mixer
бъркачка		portable mixel
проект	a plan; a project	design
проект	something that is contemplated, devised,	project
1	joonicuming that is contemplated, devised,	project
проект	or planned; plan; scheme	
	the act of working out the form of	
	something (as by making a sketch or	
проектиране	outline or plan	design
първа/основна	a primary coat of paint; priming; base coat	ground/first coat
боя		

	the more or less fine debris of rocks,	sand
	consisting of small, loose grains, often of	
пясък	nuartz , , , , , , , , , , , , , , , , , , ,	
разпънка,		crossarm; tie-bar
траверса,		
напречник.		
разтвор		
/строителен/;	A mixture of cement (or lime) with sand	,
варов разтвор	and water used in masonry work	mortar
регистриране	The act of registering; registry; enrollment	registration
	Masonry construction in which the stones	coursed masonry
редова	are laid in regular courses, not irregularly	
зидария	as in rough or random rubble.	
	an official register of the ownership, extent,	
	and value of real property in a given area,	
репер	used as a basis of taxation	benchmark
DOLLIOTKO	A framework of crossed wood or metal	lattice
решетка	Strips A brick having holes through it which total	hollow brick
DOLLIOTUS TVVIIS	at least 25% of its volume	HOHOW BITCK
решетна тухла	a long, flexible strip marked with	tape measure
		tape measure
	subdivisions of the foot or meter and used	
рулетка	for measuring	
ръководител		
проект		project manager
	A one- or two-wheeled vehicle with	wheelbarrow
ръчна количка	handles at the rear, used to convey small	
сводест,	lipade	arched, arch-shape
куполовиден		
	A structure, especially one of masonry,	arching
	forming the curved, pointed, or flat upper	
сводова	edge of an open space and supporting the	
зидария	weight above it, as in a bridge or doorway	
свързващо	a material for holding loose material	binder
вещество,		
строителен		
разтвор	together, as in a macadamized road	
сглобяване;		
дограма		joinery

		ahiaal
	a wedgelike tool with a cutting edge at the	chisel
	end of the blade, often made of steel, used	
секач	for cutting or shaping wood, stone, etc.	
система от	a system of large beams of wood or steel	girderage
греди и	used to support concentrated loads at	
подпори	isolated points along its length	
	a temporary structure for holding workers	
	and materials during the erection, repair,	
скеле	or decoration of a building	scaffold
	A drawing or diagram made to scale	plan
скица	showing the structure or arrangement of	
стеги		building clips
	Any of various tools with opposing, often	clamps
	adjustable sides or parts for bracing	
стеги	objects or holding them together	
	generally hard, strong, durable, malleable	steel
	alloy of iron and carbonwidely used as a	
стомана	structural material	
Стомана	concrete containing steel bars, strands,	reinforced concrete
стоманобетон	mesh, etc., to absorb tensile and shearing	
стоманобетонн		reinforced concrete
а плоча строителен		slab
разтвор (вода,	a thin, coarse mortar poured into various	grout
пясък, цимент	narrow cavities, as masonry joints or rock	
и понякога	fissures, to fill them and consolidate the	
дребен чакъл)	adjoining objects into a solid mass	
строителна	a lot on which there are no permanent	
площадка	buildings	building site
строително	a temporary platform or structure of posts	staging
скеле	and boards for support, as in building;	
	An often portable structure consisting of	
	two long sides crossed by parallel rungs,	
стълба	used to climb up and down	ladder
	steps collectively, esp. as forming a flight	
стълбище	or a series of flights	stairs
	the activity of building stone walls without	dry walling
суха зидария суха каменна	mortar	mula la la consti
зидария	masonry made with irregular fragments or	rubble work
суха мазилка	nieces of rock	plaster board
,		

сухопътен,земе	pertaining to, consisting of, or representing	
Н	the earth as distinct from other planets	terrestrial
	a plan, design, or program of action to be	scheme
схема	followed; project	
exeme.	a graphic representation, as by curves, of	
	a dependent variable, as temperature,	
схема/чертеж/	price, etc.; graph	chart
	pertaining to, consisting of, or representing	
теодолит	the earth	theodolite
технически	a person who exercises control over	foreman
ръководител		
(на обект),		
майстор-		
бригадир	workers	
	a tool or device for cutting, typically a thin	saw
трион	blade of metal with a series of sharp teeth A conduit of pipe, especially one used for	
	the conveyance of water, gas, or	
тръбопровод	petroleum products	pipeline
	a block of clay hardened by drying in the	brick
тухла	sun or burning in a kiln, and used for	
тухлена	the overlap of bricks in a construction so	brick bond
превръзка	as to increase its strength	
фина мазилка	a final coat of plaster or paint	finishing coat
фина мазилка		skin coat
фламандска		Flemish bond
превръзка		
	to finish (a mortar joint), as by striking	joint v.
фугирана	, , , , , , , , , , , , , , , , , , , ,	joint masonry
зидария		,
	the lowest division of a building, wall, or	
	the like, usually of masonry and partly or	
фундамент	wholly below the surface of the ground	foundation
фундамент	machine or device designed to pick up,	lift
	imaciline of device designed to pick up,	
хаспел	raise, or carry something	
	An object, such as a spool or barrel,	winder
хаспел	around which material is wound	
хаспел,	A chain or electric lifting device usually	hoist
макара,	attached to a trolly which travels along a	
скрипец	monorail or bridge crane	
окриноц	Interioral of bridge ordine	

	a process of photographic printing, used	blue print
	chiefly in copying architectural and	5.0.0 pt
хелиографско	mechanical drawings, which produces a	
копие; чертеж	white line on a blue background	
	A horizontal timber in a scaffold, attached	ledger
хоризонтална		
греда или		
дъска на скеле	to the uprights and supporting the putlogs	
	A structural member transversely	cement
цимент	supporting a load	
	A substance, such as dried clay or	lute
	cement, used to pack and seal pipe joints	
циментна	and other connections or coat a porous	
замазка	surface in order to make it tight	
	a brickwork bond composed entirely of	header bond
челна	·	
превръзка	overlapping headers	
	The space between the adjacent surfaces	
	of two members or components joined and	
	held together by nails, glue, cement,	
чело, шев, спой	mortar, or other means	joint
чертеж	a sketch or design	drawing
чертеж (груб)	a drawing, sketch, or design	draft
чертеж (груб)	a drawing, sketch, or design	draught, draft
-1 \ 1-1-1		
	lan implement for sweeping, consisting of a	
	an implement for sweeping, consisting of a brush of straw or stiff strands of synthetic	
	brush of straw or stiff strands of synthetic	
шотка	brush of straw or stiff strands of synthetic material bound tightly to the end of a long	
четка	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle	brush
четка	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of	brush
	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for	brush
чук	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of	brush
чук шпакла	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for	hammer broad knife
чук шпакла шпакла,	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for	brush
чук шпакла шпакла, бояджийска	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for	hammer broad knife
чук шпакла шпакла,	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for beating metals, driving nails, etc.	hammer broad knife putty knife
чук шпакла шпакла, бояджийска лопата	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for beating metals, driving nails, etc. a coat of plaster for finishing a ceiling or	hammer broad knife
чук шпакла шпакла, бояджийска лопата шпакловка	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for beating metals, driving nails, etc.	hammer broad knife putty knife grout
чук шпакла шпакла, бояджийска лопата	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for beating metals, driving nails, etc. a coat of plaster for finishing a ceiling or interior wall	brush hammer broad knife putty knife grout void filling
чук шпакла шпакла, бояджийска лопата шпакловка	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for beating metals, driving nails, etc. a coat of plaster for finishing a ceiling or interior wall A horizontal structural member that	hammer broad knife putty knife grout
чук шпакла шпакла, бояджийска лопата шпакловка шпакловка	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for beating metals, driving nails, etc. a coat of plaster for finishing a ceiling or interior wall A horizontal structural member that supports the load over an opening such as	brush hammer broad knife putty knife grout void filling
чук шпакла шпакла, бояджийска лопата шпакловка	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for beating metals, driving nails, etc. a coat of plaster for finishing a ceiling or interior wall A horizontal structural member that supports the load over an opening such as a door or window	brush hammer broad knife putty knife grout void filling
чук шпакла шпакла, бояджийска лопата шпакловка шпакловка	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for beating metals, driving nails, etc. a coat of plaster for finishing a ceiling or interior wall A horizontal structural member that supports the load over an opening such as a door or window a barrier to obstruct the flow of water, esp.	brush hammer broad knife putty knife grout void filling
чук шпакла шпакла, бояджийска лопата шпакловка шпакловка	brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for beating metals, driving nails, etc. a coat of plaster for finishing a ceiling or interior wall A horizontal structural member that supports the load over an opening such as a door or window	brush hammer broad knife putty knife grout void filling