

| English | | Bulgarian |
|----------------------------|---|---|
| adhesive | a substance that causes something to adhere, as glue or rubber cement | лепило |
| aero concrete/aerocrete | | газобетон |
| angle iron/L beam | a piece of structural iron or steel having a cross section in the form of an L | метален ъгъл, винкел |
| aperture | an opening, as a hole, slit, crack, gap, | отвор |
| arch | a curved masonry construction for spanning an opening, consisting of a number of wedgelike stones, bricks, or the like, set with the narrower side toward the opening in such a way that forces on the arch are transmitted as vertical or oblique stresses on either side of the | арка, свод |
| arched, arch-shape | | сводест, куполовиден |
| arching | A structure, especially one of masonry, forming the curved, pointed, or flat upper edge of an open space and supporting the weight above it, as in a bridge or | сводова зидария |
| architecture | the profession of designing buildings, open areas, communities, and other artificial constructions and environments, usually with some regard to aesthetic effect | архитектура; |
| ashlar | a squared building stone cut more or less true on all faces adjacent to those of other stones so as to permit very thin mortar joints | дялан камък |
| ashlarwork | masonry made of ashlars | зидария от дялани камъни |
| assembly clamp | Any of various devices used to join, grip, support, or compress mechanical or structural parts | монтажна стяга |
| axis | beam of a balance | главна греда |
| balance level | a device used for determining or adjusting something to a horizontal surface | либела |
| bat brick | a masonry of bricks cut transversely so as to leave one end whole | зидария от половин тухла |
| batch | the quantity of concrete prepared or required for one operation | количество бетон от едно забъркване |
| beam | A structural member transversely supporting a load | греда, траверса |

| | | |
|-------------------|--|--|
| bearing wall | A wall that supports any vertical load in addition to its own weight | носеща стена |
| binder | a material for holding loose material together, as in a macadamized road | свързващо вещество, строителен разтвор |
| binder, cross-arm | a girder supporting the ends of two sets of floor joists | напречна греда |
| block bond | the overlap of blocks in a construction so as to increase its strength | блокова превръзка |
| blue print | a process of photographic printing, used chiefly in copying architectural and mechanical drawings, which produces a white line on a blue background | хелиографско копие; чертеж |
| board | a piece of wood sawed thin, and of considerable length and breadth compared with the thickness | дъска |
| bolster | a timber or the like connecting two ribs of a centering | носеща, подсилваща |
| brick | a block of clay hardened by drying in the sun or burning in a kiln, and used for building, paving, etc. | тухла |
| brick bond | the overlap of bricks in a construction so as to increase its strength | тухлена превръзка |
| brick-bat | A piece, especially of brick | парче тухла |
| bricklayer | A person skilled in building with bricks. | зидар |
| bridge | a structure spanning and providing passage over a river, chasm, road, or the like | мост |
| broad knife | | шпакла |
| broom | an implement for sweeping, consisting of a brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle | метла |
| brush | an implement for sweeping, consisting of a brush of straw or stiff strands of synthetic material bound tightly to the end of a long handle | четка |
| bucket | a deep, cylindrical vessel, usually of metal, plastic, or wood, with a flat bottom and a semicircular bail, for collecting, carrying, or holding water, sand, fruit, etc.; | кофа |
| building clips | | стеги |
| building site | a lot on which there are no permanent buildings | строителна площадка |

| | | |
|---------------------|--|--|
| benchmark | an official register of the ownership, extent, and value of real property in a given area, used as a basis of taxation | репер |
| cadastre | an official register of the ownership, extent, and value of real property in a given area, used as a basis of taxation | кадастър |
| carrier beam | | носеща греда |
| cartography | A structural member transversely supporting a load | картография |
| cellular concrete | | пенобетон |
| cement | A structural member transversely supporting a load | цимент |
| chart | a graphic representation, as by curves, of a dependent variable, as temperature, price, etc.; graph | схема/чертеж/ |
| chisel | a wedgelike tool with a cutting edge at the end of the blade, often made of steel, used for cutting or shaping wood, stone, etc. | секач |
| clamps | Any of various tools with opposing, often adjustable sides or parts for bracing objects or holding them together | стеги |
| coat | a layer of anything that covers a surface | мазилка; облицовка; слой, покритие |
| column | a rigid, relatively slender, upright support | колона/в строителството |
| concrete mixer | a machine with a large revolving drum in which cement is mixed with other materials to make concrete | бетонобъркачка |
| concrete n. | the mixture of cement, sand, gravel, and water | бетон |
| concrete v. | to treat or lay with concrete | бетонирам |
| concretor | | бетонджия |
| construct, build | to build or form by putting together parts; frame; devise | конструирам, ст роя |
| cord | a string or thin rope made of several strands braided, twisted, or woven | канап |
| cornice, perch, mou | any prominent, continuous, horizontally projecting feature surmounting a wall or other construction | корниз |
| cosmic surveyor | | космичен геодезист |
| coursed masonry | Masonry construction in which the stones are laid in regular courses, not irregularly as in rough or random rubble. | редова зидария |

| | | |
|-----------------------|---|--|
| cross beam | | напречна греда |
| cross bond | | кръстата превръзка |
| crossarm; tie-bar | | разпънка, траверса, напречник. |
| cross-road | a road that crosses another road, or one that runs transversely to main roads | кръстовище/пътно/ |
| curve | a continuously bending line, without | крива |
| dam | a barrier to obstruct the flow of water, esp. one of earth, masonry, etc., built across a stream or river | язовир |
| depositor | | мистрия |
| design | the act of working out the form of something (as by making a sketch or outline or plan | проектиране |
| design | A plan; a project | проект |
| double leaf | double wall | двойна стена |
| draft | a drawing, sketch, or design | чертеж (груб) |
| drain n. | something, as a pipe or conduit, by which a liquid drains | отводнителен канал, тръба; канализация |
| drain v. | to withdraw liquid gradually from; make empty or dry by drawing off liquid | отводнявам, пресушавам; дренирам |
| draught, draft | a drawing, sketch, or design | чертеж (груб) |
| drawing | a sketch or design | чертеж |
| dressed masonry | masonry with stone that has been worked to desired shape; the faces to be exposed are smooth | зидарция, облицована с дялан камък |
| dry walling | the activity of building stone walls without mortar | суха зидария |
| elevation /level mark | The height of a thing above a reference level | кота/надморска височина/ |
| encasing | | кофраж |
| English bond | | английска превръзка |
| estate agent | a person who is authorized to act as an agent for the sale of land | агент недвижими |
| facing | a covering in front, for ornament, protection, etc., as an outer layer of stone on a brick wall | облицовка |
| finishing coat | a final coat of plaster or paint | фина мазилка |
| fitting | the process of putting with precise placement or adjustment | монтиране |
| Flemish bond | | фламандска превръзка |

| | | |
|--------------------|--|--|
| float | a flat tool for spreading and smoothing plaster or stucco | мистрия |
| flooring | Material, such as lumber or tile, used in making floors | настилка |
| foam concrete | Foam concrete is cement bonded material manufactured by blending a very | пенобетон |
| foreman | a person who exercises control over workers | технически ръководител (на обект), майстор- |
| formwork/sheathing | the structure of boards, bolts, etc., composing a form for poured-concrete or rammed-earth construction | кофраж |
| foundation | the lowest division of a building, wall, or the like, usually of masonry and partly or wholly below the surface of the ground | фундамент |
| gauge | An instrument for measuring or testing | датчик |
| gauger | a person or thing that gauges | измерител; измервателен уред |
| geodesy | the branch of applied mathematics that deals with the measurement of the shape and area of large tracts of country, the exact position of geographical points, and the curvature, shape, and dimensions of the earth | геодезия |
| geodetic survey | a land area survey in which the curvature of the surface of the earth is taken into account | геодезична снимка |
| girderage | a system of large beams of wood or steel used to support concentrated loads at isolated points along its length | система от греди и подпори |
| ground/first coat | a primary coat of paint; priming; base coat | първа/основна боя |
| grout | a thin, coarse mortar poured into various narrow cavities, as masonry joints or rock fissures, to fill them and consolidate the adjoining objects into a solid mass | строителен разтвор (вода, пясък, цимент и понякога дребен чакъл) |
| grout | a coat of plaster for finishing a ceiling or interior wall | шпакловка |
| gutter | a channel at the eaves or on the roof of a building, for carrying off rain water | водосточна тръба (канал) |
| gutter | any channel, trough, or the like for carrying off fluid | канал; улей |

| | | |
|------------------|---|--------------------------------|
| gypsum | common white or colorless mineral (hydrated calcium sulphate) used to make cements and plasters (especially plaster of Paris) | гипс |
| hack-hammer | an adzlike tool for dressing stone | каменоделски чук |
| hammer | a tool consisting of a solid head, usually of metal, set crosswise on a handle, used for beating metals, driving nails, etc. | чук |
| hammer-beam | a short wooden beam projecting from an interior wall to support or tie together rafters or arched roof braces | конзолна греда |
| header bond | a brickwork bond composed entirely of overlapping headers | челна превръзка |
| heavy joist | | бичмета |
| hod | a portable trough for carrying mortar, bricks, etc., fixed crosswise on top of a pole and carried on the shoulder | корито (за строителен разтвор) |
| hoist | A chain or electric lifting device usually attached to a trolley which travels along a monorail or bridge crane | хаспел, макара, скрипец |
| hole | an opening through something; gap; aperture | отвор |
| hollow brick | A brick having holes through it which total at least 25% of its volume | решетна тухла |
| irrigation canal | water conveyance artificial channels, which are used for the conveyance and delivery of water | напоителен/орошителен канал |
| jinny | | лебедка |
| joinery | | сглобяване; дограма |
| joint | The space between the adjacent surfaces of two members or components joined and held together by nails, glue, cement, mortar, or other means | чело, шев, спойка |
| joint masonry | | фугирана зидария |
| joint v. | to finish (a mortar joint), as by striking | фугирам (при зидане) |
| joist | A structural load-carrying member with an open web system which supports floors and roofs utilizing hot-rolled or cold-formed steel and is designed as a simple span member | напречна греда |
| juniper | | каменарско шило |

| | | |
|-----------------|--|---------------------------------------|
| ladder | An often portable structure consisting of two long sides crossed by parallel rungs, used to climb up and down | стълба |
| land regulation | | земеустройство |
| lath | A thin strip of wood or metal, usually nailed in rows to framing supports as a substructure for plaster, shingles, slates, or tiles | летва, дъска |
| latitude | the angular distance north or south from the equator of a point on the earth's surface, measured on the meridian of the | географска ширина |
| lattice | A framework of crossed wood or metal strips | решетка |
| ledger | A horizontal timber in a scaffold, attached to the uprights and supporting the putlogs | хоризонтална греда или дъска на скеле |
| level | a device used for determining or adjusting something to a horizontal surface | нивелир, либела; |
| level | height above ground | ниво |
| lift | machine or device designed to pick up, raise, or carry something | хаспел |
| lime | a white or grayish-white, odorless, lumpy, very slightly water-soluble solid, CaO, used chiefly in mortars, plasters, and cements, in bleaching powder, and in the manufacture of steel, paper, glass, and various chemicals of calcium. | вар |
| lime cast | | варна мазилка |
| lime solution | | варов разтвор |
| lining | a layer of material on the inner side or surface of something | вътрешна облицовка |
| lintel | A horizontal structural member that supports the load over an opening such as a door or window | щурц |
| lute | a paving tool for spreading and smoothing concrete, consisting of a straightedge mounted transversely on a | мастар; |
| lute | A substance, such as dried clay or cement, used to pack and seal pipe joints and other connections or coat a porous surface in order to make it tight | циментна замазка |
| maintenance | The work of keeping something in proper condition; upkeep | поддръжка |
| map | a drawing or plan, in outline, of (any part of) the surface of the earth, with various features shown (usually roads, rivers, seas, towns etc) | карта/географска/ |

| | | |
|--------------------|--|-------------------------------------|
| mason | a person whose trade is building with units of various natural or artificial mineral products, as stones, bricks, cinder blocks, or tiles, usually with the use of mortar or cement as a bonding agent | Зидар |
| mason's float | A tool for smoothing the surface of plaster or cement | пердашка |
| masonry | Stone, brick, concrete, hollow-tile, concrete block, or other similar building units or materials. Normally bonded together with mortar to form a wall. | зидария |
| masonry can | | зидарско канче |
| massive masonry | | зидария от плътни тухли |
| measurement | A method of determining quantity, capacity, or dimension | мерене, измерване |
| measuring | | измерване |
| mortar | A mixture of cement (or lime) with sand and water used in masonry work | разтвор /строителен/; варов разтвор |
| mounting hole | | монтажен |
| nail n. | A slim, pointed piece of metal hammered into material as a fastener | гвоздей |
| nail v. | To fasten, join, or attach with or as if with a nail | забивам гвоздей |
| one stretcher wide | | зидария с дебелина една тухла |
| opening | An open space serving as a passage or gap | отвор |
| paint n. | a substance composed of solid coloring matter suspended in a liquid medium and applied as a protective or decorative coating to various surfaces | боя |
| paint v. | to coat or cover anything with paint | боядисвам |
| pallet | a shaping tool used by potters and consisting of a flat blade or plate with a handle at one end | мистрия |
| parget | A cement mixture used to waterproof outer walls | мазилка |
| partition | an interior wall or barrier dividing a room, area of a building, enclosure, etc., into | преградна стена |
| pavement | walk consisting of a paved area for pedestrians; usually beside a street or roadway | настилка; тротоар |
| pinchers | a gripping tool consisting of two pivoted limbs forming a pair of jaws and a pair of handles | клещи |

| | | |
|----------------------|--|-----------------------------|
| pipeline | A conduit of pipe, especially one used for the conveyance of water, gas, or petroleum products | тръбопровод |
| pitch | any of various dark, tenacious, and viscous substances for caulking and paving, consisting of the residue of the distillation of coal tar or wood tar | катран, смола |
| plan | A drawing or diagram made to scale showing the structure or arrangement of something | скица |
| plank | a long, flat piece of timber, thicker than a board | дъска |
| planking | Planks considered as a group | дъсчена облицовка, ламперия |
| planning | an act of formulating a program for a definite course of action | планиране |
| plaster | a composition, as of lime or gypsum, sand, water, and sometimes hair or other fiber, applied in a pasty form to walls, ceilings, etc., and allowed to harden and | мазилка; |
| plaster | powdered gypsum | гипс |
| plaster board | | суха мазилка |
| plastering | a layer or coating of plaster | гипсова |
| pliers (a pair of) | small pincers with long jaws, for bending wire, holding small objects, etc. | клевци |
| plot | A measured area of land; a lot | парцел |
| plumb | A weight on the end of a line, used especially by masons and carpenters to establish a true vertical | отвес |
| plumb-line | | отвес |
| portable mixer | | преносима бъркачка |
| prestressed concrete | | предварително напрегнат |
| project | something that is contemplated, devised, or planned; plan; scheme | проект |
| project manager | | ръководител проект |
| putty | A type of dough used in sealing glass in the sash, filling small holes and crevices in wood, and for similar purposes | замазка |
| putty knife | | шпакла, бояджийска лопата |
| quarry | an excavation or pit, usually open to the air, from which building stone, slate, or the like, is obtained by cutting, blasting, | кариера |

| | | |
|--------------------------|---|--------------------------|
| quick(burnt) lime | Calcium oxide; unslacked lime; -- so called because when wet it develops | негасена вар |
| rafter | One of a series of structural members of a roof designed to support roof loads. The rafters of a flat roof are sometimes called roof joists | наклонена покривна греда |
| range pole/lath,bar/ | a conspicuously painted pole held upright to show the position of a survey mark | лата |
| real estate | property, esp. in land | недвижим имот |
| registration | The act of registering; registry; enrollment | регистрация |
| reinforced concrete | concrete containing steel bars, strands, mesh, etc., to absorb tensile and shearing stresses | стоманобетон |
| reinforced concrete slab | | стоманобетонна плоча |
| reinforcement | a system of steel bars, strands, wires, or mesh for absorbing the tensile and shearing stresses in concrete work | армировка, укрепване |
| reinforcing steel | | армировъчна стомана |
| render set | cover with two coats of plaster | двупластова мазилка |
| rendering | A coat of plaster or cement applied to a masonry surface | основа на мазилка |
| renovate | to restore to good condition; make new or as if new again; repair | възстановявам, обновявам |
| repair | To restore to sound condition after damage or injury; fix, mend | поправям |
| revetment | an ornamental facing, as on a common masonry wall, of marble, face brick, tiles, etc. | облицовка |
| roof | the external upper covering of a house or other building | покрив |
| rough coat | | груба мазилка |
| rubble concrete | Concrete made with rubble from demolished structures | бутобетон |
| rubble masonry | | зидария от ломени камъни |
| rubble work | masonry made with irregular fragments or pieces of rock | суха каменна зидария |
| sand | the more or less fine debris of rocks, consisting of small, loose grains, often of quartz | пясък |
| saw | a tool or device for cutting, typically a thin blade of metal with a series of sharp teeth | трион |

| | | |
|-------------------|--|--------------------|
| scaffold | a temporary structure for holding workers and materials during the erection, repair, or decoration of a building | скеле |
| scheme | a plan, design, or program of action to be followed; project | схема |
| sheet iron | plate iron thinner than tank iron | ламарина |
| shovel | A tool with a handle and a broad scoop or blade for digging and moving material | лопата |
| shuttering | | кофраж |
| skin coat | | фина мазилка |
| slacked lime | lime slacked by exposure to the air, in consequence of the absorption of carbon dioxide and water, by which it is converted into carbonate of lime and | гасена вар |
| slate | A piece of fine-grained metamorphic rock cut for use as roofing or surfacing | плоча |
| staging | a temporary platform or structure of posts and boards for support, as in building; scaffolding | строително скеле |
| stairs | steps collectively, esp. as forming a flight or a series of flights | стълбище |
| steel | generally hard, strong, durable, malleable alloy of iron and carbon widely used as a structural material | стомана |
| stonemason | a person who builds with or dresses stone | зидар, каменоделец |
| stretcher bond | a brickwork bond having successive courses of overlapping stretchers | надлъжна превръзка |
| string | a slender cord or thick thread used for binding or tying; line | канап |
| structure | something built or constructed, as a building, bridge, or dam | конструкция |
| stucco | an exterior finish for masonry or frame walls, usually composed of cement, sand, and hydrated lime mixed with water and laid on wet | гипсова мазилка |
| surveyor | an engineer who determines the boundaries and elevations of land or structures | геодезист |
| suspended ceiling | a ceiling system supported by hanging it from the overhead structural framing | окачен таван |
| tape measure | a long, flexible strip marked with subdivisions of the foot or meter and used for measuring | рулетка |
| terrestrial | pertaining to, consisting of, or representing the earth as distinct from | сухопътен, земен |

| | | |
|-----------------|---|----------------------|
| theodolite | pertaining to, consisting of, or representing the earth | теодолит |
| tie beam | a horizontal timber or the like for connecting two structural members to keep them from spreading apart, as a beam connecting the feet of two principal rafters in a roof truss | напречна греда |
| tiling | the operation of covering with tiles | облицовка с плочки |
| tongs | any of various implements consisting of two arms hinged, pivoted, or otherwise fastened together, for seizing, holding, or lifting something | клещи |
| tooler | | длето |
| transom | a crosspiece separating a door or the like from a window or fanlight above it | напречна греда, щурц |
| transverse bond | | напречна превръзка |
| trowel | any of various tools having a flat blade with a handle, used for depositing and working mortar, plaster, etc. | мистрия |
| varnish | A paint containing a solvent and an oxidizing or evaporating binder, used to coat a surface with a hard, glossy, transparent film | лак |
| vaulted | constructed or covered with a vault, as a building or chamber | засводен |
| vertical level | | отвес |
| void filling | | шпакловка |
| water supply | the supply of purified water available to a community | водоснабдяване |
| wheelbarrow | A one- or two-wheeled vehicle with handles at the rear, used to convey small | ръчна количка |
| winch | A stationary motor-driven or hand-powered machine used for hoisting or hauling, having a drum around which is wound a rope or chain attached to the load being moved | лебедка, крич |
| winder | An object, such as a spool or barrel, around which material is wound | хаспел |
| yard meter | A yardstick is a tool used to physically measure lengths of up to a yard (0.9144 metres or three feet). | метър |

| | | |
|------------|---|-------|
| yard stick | A yardstick is a tool used to physically measure lengths of up to a yard (0.9144 metres or three feet). | метър |
|------------|---|-------|